

Fox

WATER SYSTEMS RANGE

Excellence in every pour.



IN PARTNERSHIP WITH

borg &
overström



WWW.FOXTRADING.CO.UK

Evolved design, environmental sustainability, energy-efficient technology.

Working with our key partners Borg & Overström we are proud to provide premium water solutions which are efficient, functional and aesthetically beautiful. Borg and Overstrom has been renowned for their distinctive designs and thoughtful innovations. Their mission is to change the way we all drink water by providing exceptional drinking water experiences, straight for the tap.

This book presents our current water systems range including specifications and pricing.

Thank you for your interest,



3	Water coolers range
14	Water taps range
25	Technology
31	Sustainability
32	Contact details

The future of hydration..

WATER COOLERS

borg &
overström

 Ebac



e4



e6




e7



f Max

f Max



Innovation at its Best - the people's choice

Fmax bottled Water Cooler from Ebac leads the market with unique design and features unrivalled by any other water cooler. Proudly manufactured in UK, Fmax offers premium quality and is being made to ethical and industry standards.

REASONS TO CHOOSE

- Suits any location, no direct water connection required
- High dispense point
- Energy efficient vacuum insulated hot tank
- 4th generation Watertrail™ technology
- Integrated cup dispenser
- Consecutive cups - 14
- Selection of colours and panels available to suit any environment



Colour options

Body Colour

- Black
- White

Side Panels

- Black
- White
- Dark Blue
- Silver (supplement)
- Grey



Display model shown
in All Black

f Max

EBAC's Patented award winning technology

Watertrail™

100% SANITISATION

Ebac believes that the only effective method of 100% sanitisation, is renewal. With Ebac's patented Watertrail™, all parts that come into contact with water, in our bottled water coolers are completely replaced. This is now so simple to change, that it takes less than 30 seconds and can be replaced on customers' premises.



AquaSafe™

PROTECTION GUARANTEED

For Ebac POU Coolers, Ebac's patented AquaSafe system is the ultimate method in hygienic filtration systems. The water in the cooler is not filtered until point of dispense, thus preventing any bacterial growth inside the cooler, as the water is still protected by the chlorine present in tap water. This also can be replaced on customers' premises and takes a matter of seconds.





Floorstanding:

W 390mm
H 110mm
(without bottle)

Chilled temperature
6°C

Dispense height
290mm



Patented technology

Prevent bacterial growth

Most hygienic coolers in the world

b3



Chilled Sparkling Ambient Hot

First choice for education and healthcare.

Built at an ideal height for both adults and children the B3 also features an ultra-hygienic touch-sensitive control panel, the biggest dispense area in its class for bottles and a tamper-proof rear cover guard for safety.

REASONS TO CHOOSE

- Ultra-hygienic touch sensitive control panel
- High-capacity dispense area for bottles and jugs
- Integrated cup dispenser
- Sealed, hygienic, direct-chill cooling system



b3

Water system



Direct Chill

Configurations



Floorstanding

Water options



Chilled



Ambient



Hot



Sparkling

Available colours



Silver



Black



Distinctive
by design.

B3 models

Power requirements
Hertz 50/Volts 220-240

Chilled temperature
Min 2°C/Max 11°C

Hot temperature
Max 92°C

Throughput litres per hour
Chilled & Sparkling 30/Hot 6

Floorstanding
W325xD380xH1065mm

Chilled & Ambient

Chilled, Hot & Ambient

Chilled, Ambient & Sparkling

Chilled, Hot & Sparkling

Water
system

Direct Chill

Direct Chill

Direct Chill

Direct Chill

Dispense
height

265mm

265mm

265mm

265mm

Max power
consumption

100W

550W

140W

640W

Silver

104021

104031

104051

104041

Black

104023

104033

104053

104043

e4



Chilled Sparkling Ambient Hot

Excellence through evolution.

From a chilled glass of sparkling to a hot cup of tea, the E4 provides 3-way dispensing versatility for complete convenience in a unique, compact modular design.

REASONS TO CHOOSE

- Contemporary design for modern workplaces
- Evolved, efficient technology
- Advanced performance, high-capacity dispensing
- Powered by ProCore™ a next-gen dispensing system
- Cutting-edge hygiene features built-in









Fox



borg &
overström



Specifications

Water options (Max 3)	 Chilled  Sparkling  Ambien  Hot		
Configuration	 Countertop  Floorstanding		
Colour	 Black  Silver		
System	ProCore® Powerful and compact, energy-efficient modular system.	DryChill® Hygienic and efficient, rapid chilling technology.	
Technology	Bluetooth® Touch-free dispense.	DeepSparkle® Sparkling water with long-lasting fizz.	
Hygiene	Totality® Filtration and hygiene assurance with Biomaster®.		
Optional accessories	Viovand® Accessory Kit Chemical-free, eco-friendly, inline UV-LED water purification.	SensorBeam™ Base Cabinet Innovative, illuminated floorstanding base with projection touchless dispense.	
Dispense height	290mm Perfect for filling water bottles, glasses and carafes		
Capacity	Chilled	Sparkling	Hot
ProCore	50 L/h	50 L/h	15 L/h
Temperature	Chilled 2°C	Sparkling 2°C	Hot 92°C
Power	230-240v		
Dimensions	Countertop W320XD400XH415mm	Floorstanding W320XD400XH910mm	

Chilled & sparkling capacity

50 L/h

Hot capacity

15 L/h

Chilled temperature

2°C

Dispense height

290mm



Evolved, efficient technology.

Sustainably superior, the E4 is the latest evolution in premium water dispensing. Powered by our exclusive modular ProCore® system, the E4 combines increased energy-efficiency with powerful performance and Bluetooth® connectivity. The integrated DryChill® airless, rapid cooling system delivers the ultimate in hygiene and performance, reducing the risk of contamination and ensuring that every glass is perfectly chilled for great-tasting, fresh and clean water.

CONFIGURATION & DIMENSIONS



Countertop
W 320mm
D 400mm
H 415mm



Floorstanding
W 320mm
D 400mm
H 910mm



Scan this code for more information about the E4

e6



Chilled Sparkling Ambient Hot

Environmental sustainability, energy-efficiency and intelligent technology.

The latest evolution in premium bottleless drinking water combines intelligent eco-friendly technology, energy-efficiency and powerful performance in every pour.

REASONS TO CHOOSE









- Environmentally conscious design
- Premium aesthetics with antimicrobial protection
- Energy-efficient technology EcoMode & DryChill®
- Advanced performance, high-capacity dispensing
- Powered by ProCore™ a next-gen dispensing system
- Cutting-edge hygiene features built-in (Totality®)



borg &
overström



Specifications

Water options	   		
Configuration	  Countertop Floorstanding		
Colour	  Black Silver		
System	ProCore® Powerful and compact, energy-efficient modular system.	DryChill® Hygienic and efficient, rapid chilling technology.	
Technology	EcoMode Energy-saving technology.	Bluetooth® Touch-free dispense.	
Hygiene	DeepSparkle® Sparkling water with long-lasting fizz.	Viovandt® (optional) Chemical-free, eco-friendly integrated UV-LED purification.	
Optional accessories	Totality® Filtration and hygiene assurance with Biomaster®.		
Dispense height	SensorBeam™ Base Cabinet Innovative, illuminated floorstanding base with projection touchless dispense.		
Capacity	290m	Perfect for filling water bottles, glasses and carafes.	
ProCore	Chilled 50 L/h	Sparkling 50 L/h	Hot 15 L/h
Temperature	Chilled 2°C	Sparkling 2°C	Hot 92°C
Power	230-240v		
Dimensions	Countertop W320XD400XH415m	Floorstanding W320XD400XH910m	

Chilled & sparkling capacity

50 L/h

Hot capacity

15 L/h

Chilled temperature

2°C

Dispense height

290mm



Evolved, efficient technology.

Designed for a greener future, the E6 is an evolved, energy-efficient and sustainable approach to bottleless filtered water. Featuring a powerful four-way dispense, the E6 utilises advanced energy-saving EcoMode technology and optional SensorBeam projection touchless control. The E6 delivers unrivalled powerful performance and hygiene protection, and is compatible with optional, future-thinking SIMSecure data connectivity for enhanced insight and servicing.

CONFIGURATION & DIMENSIONS



Countertop
W 320mm
D 400mm
H 415mm

Floorstanding
W 320mm
D 400mm
H 910mm



Scan this code for more information about the E6

e7



Chilled Sparkling Ambient Hot

COMING
SOON

Elevate your hydration with a refined drinking water experience.

A refined tap system poised upon a luxurious Corian® top, the E7 features illuminated touchless projection mapping technology for effortlessly elegant hydration.

REASONS TO CHOOSE







- Luxurious and sustainable water dispensing
- Refined tap-style dispense
- Integrated SensorBeam™ touchless technology
- Energy-efficient technology EcoMode & DryChill®
- Advanced performance, high-capacity dispensing
- Powered by ProCore™ a next-gen dispensing system
- Cutting-edge hygiene features built-in (Totality®)



borg &
overström



Specifications

Water options	   		
Configuration	 Floorstanding		
Colour	 Black & White		
System	ProCore Powerful and compact, energy-efficient modular system.	DryChill Hygienic and efficient, rapid chilling technology.	
Technology	EcoMode Energy-saving technology.	Bluetooth Touch-free dispense.	
	DeepSparkle Sparkling water with long-lasting fizz.	Viovandt (optional) Chemical-free, eco-friendly integrated UV-LED purification.	
	SensorBeam Innovative, illuminated floorstanding base with projection touchless dispense.		
Hygiene	Totality Filtration and hygiene assurance with Biomaster.		
Dispense height	310mm <small>Perfect for filling water bottles, glasses and carafes</small>		
Capacity	Chilled	Sparkling	Hot
	50 L/h	50 L/h	15 L/h
Temperature	Chilled	Sparkling	Hot
	2°C	2°C	92°C
Power	230-240v		
Dimensions	Floorstanding W320xD471xH1325mm		

Chilled & sparkling capacity

50 L/h

Hot capacity

15 L/h

Chilled temperature

2°C

Dispense height

310mm



Custom built, haute hydration.

Custom built to order by hand, the E7 offers a refined tap-style dispense system, poised elegantly above a unique Corian® top with integrated drip tray and antimicrobial touch panel. Illuminated SensorBeam projection control provides a futuristic and hygienic touchless dispense experience, whilst our unique ProCore® system delivers energy-efficient, powerful performance with advanced energy-saving EcoMode. The E7 is a quietly understated and effortlessly luxurious free-standing water dispenser for discerning environments.

CONFIGURATION & DIMENSIONS



Floorstanding
W 12.6"
D 18.6"
H 53.5"



Scan this code for more information about the E7

Pricing

WATER COOLERS



Chilled



Sparkling



Ambient



Hot

Product	Type	Configuration/Options	Purchase Price 2023	Rental Price 2023 3 year contract, price per month
Fmax	Bottled, Freestanding	Chilled & Ambient	£395	£14 p/month
	Water Bottle	18.9l	£11	-
	Filter changes & sterilising	2 visits per year	£96	-
b3	Plumbed in, Floorstanding	Chilled, Ambient	£	£
		Chilled, Ambient & Sparkling	£	£
		Chilled, Ambient & Hot	£	£
e4	Plumbed in, Countertop (Floorstanding option available - base cabinet required)	Chilled, Ambient	£	£
		Chilled, Ambient & Sparkling	£	£
		Chilled, Ambient & Hot	£	£
e6	Plumbed in, Countertop (Floorstanding option available - base cabinet required)	Chilled, Ambient	£	£
		Chilled, Ambient & Sparkling	£	£
		Chilled, Ambient & Hot	£	£
e7	Plumbed in, Floorstanding	Chilled, Ambient & Hot	£	£
		Chilled, Ambient, Sparkling & Hot	£	£
Accessories	Base Cabinet (for e4 & e6)	-	£	£
	CO2 – disposable cylinder	1.2kg- at avg 4.5 bar pressure it will produce over 140l of sparkling water	£	-
Servicing (plumbed in models)	Filter Change & Sterilising	6 monthly visit	£54.98 per visit	
Warranty	Purchase includes 24 months parts & labour warranty, except Fmax – 12 months warranty Rental includes parts & labour warranty for the duration of the contract			

prices exc GST - applicable to Jersey only

Accessories

From parts and components to re-usable drinking bottles and installation kits, we stock everything you need to provide an excellent premium drinking water experience.



Deep Sparkle CO2 refills.

Can be disposed via standard steel recycling or general waste. Requires CO regulator with gauge.



Personal drinking bottles

500ml capacity in black. Comes with quick-release leak-proof cap and carry strap.



500ml glass bottles

Suitable for dishwashers and bottlewashers. A perfect fit for the E6. Stylish swing-top lid.



Alarmed Bluetooth* waste kit

This optional clever device emits an audible alarm at high water level and deactivates the control panel via Bluetooth.



Install kit with 3M filter

Install appliances simply and effectively in a wide range of applications. Complete with a 3M filter.



Sanitisation kit

Six monthly sanitising cycles ensure appliances function at the optimum hygiene levels.

Contact us:

Jersey: 01534 511000 | office.admin@foxtrading.co.uk

Guernsey: 01481 200500 | admin.office@foxtrading.co.uk


Model comparison table

	e4	e6	e7	
Water options	Chilled & Ambient	•	•	•
	Chilled, Sparkling & Ambient	•	•	•
	Chilled, Ambient & Hot	•	•	•
	Chilled, Sparkling & Hot	•		
	Chilled, Sparkling, Ambient & Hot		•	•
Configuration	Floorstanding	•	•	
	Floorstanding SensorBeam	•	•	•
	Countertop	•	•	
Colour	Black	•	•	•
	Silver	•	•	
System	ProCore	•	•	•
	DryChill [®]	•	•	•
Technology	EcoMode		•	•
	Fynil [®]	•	•	•
	DeepSparkle [®]	•	•	•
	Bluetooth [®] touchless control	•	•	•
	Bluetooth diagnostics		•	•
	Vioand [®] LED-UV (integrated)		• Optional	• Optional
Hygiene	Totality [®]	•	•	•
	Biomaster [®]	•	•	•
Optional accessories	Bluetooth alarmed waste kit	• Optional	• Optional	• Optional
	In-line Vioand [®] LED-UV kit	• Optional		
	SensorBeam	• Optional	• Optional	•
	SIMSecure Connectivity		• Optional	• Optional
Dispense height (mm)	290	290	310	
Capacity (L/h) ProCore	Chilled	50	50	50
	Ambient	50	50	50
	Sparkling	50	50	50
	Hot	15	15	15
Temperature (°C)	Chilled & Sparkling	2	2	2
	Hot	92	92	92
Power (v)	230-240	230-240	230-240	
Dimensions WxDxH (mm)	Countertop	320x400x415	320x400x415	
	Floorstanding	320x400x910	320x400x910	320x471x1325

The future of hydration..

borg &
overström

WATER TAPS



c2/c3



t1



t2



t3



borg &
overström

t1



Chilled Sparkling Ambient Hot

Advanced performance. Minimalist design.
The ideal solution for busy workplaces where space may be at a premium. With advanced dispensing features packaged in a minimal and contemporary design.

REASONS TO CHOOSE

- Discreet yet powerful, ideal for busy workplaces
- Contemporary design for modern workplaces
- Advanced performance, high-capacity dispensing
- Powered by ProCore™ a next-gen dispensing system
- Cutting-edge hygiene features built-in
- Modern tap design with high-end durability



Distinctive
by design.

T1 Steel

ProCore® processing unit with Simple-fit Ventilation Base
Designed to maximise efficiency and enhance performance, the refined and simple to install ventilation base is supplied with every ProCore®.



WATER SYSTEM

Dry Chill*

CONFIGURATIONS

Tap system

AVAILABLE COLOURS


Steel / Black

WATER OPTIONS

Chilled / Ambient / Sparkling



borg &
overström



**Refined hydration, digital precision.
A bold new generation tap system for
modern offices and communal workspaces.
Packed with digital technology for
advanced performance, energy efficiency,
and hygiene.**

REASONS TO CHOOSE

- Discreet, antimicrobial hygienic control panel
- Bluetooth® enabled touch-free control
- 310mm dispense height for filling bottles and jugs
- Can be factory fitted with Viovandt® LED-UV
- Ultra-compact under counter ProCore® unit
- Low energy consumption, low-light standby mode
- Performance enhancing simple-fit ventilation kit included



ProCore® processing unit with Simple-fit Ventilation Base. Designed to maximise efficiency and enhance performance, the refined and simple to install ventilation base is supplied with every ProCore®.



WATER SYSTEM

Dry Chill*

CONFIGURATIONS

Tap system

AVAILABLE COLOURS

Steel / Black

WATER OPTIONS

Chilled / Ambient / Sparkling



t3



Chilled Sparkling Ambient Hot

T3- Borg & Overström first-ever drinking water tap system with a hot option is the newest addition to our next-generation product suite. It's built from the ground up with premium aesthetics and our most advanced dispensing innovations.

REASONS TO CHOOSE

- Instant filtered chilled, ambient, sparkling and hot water
- Designed and manufactured with sustainability at the heart
- Bluetooth enabled touch-free dispense control
- Flush, easy-clean, antimicrobial hygienic control panel
- 310mm dispense height for filling bottles, coffee jugs and teapots
- Energy-efficient Viovandt LED-UV water purification system
- Ultra-compact under counter ProCore unit
- Low-energy consumption and low-light standby mode
- Future-proof digital connectivity



Distinctive by design.

T3 Black

T3 Steel

ProCore® processing unit with Simple-fit Ventilation Base
 Designed to maximise efficiency and enhance performance, the refined and simple-to-install ventilation base is supplied with every ProCore®.



WATER SYSTEM
 Dry Chill*

CONFIGURATIONS
 Tap system

AVAILABLE COLOURS
 Steel / Black

WATER OPTIONS
 Chilled / Sparkling / Ambient / Hot



c2/c3



High-performance hydration. Practical, reliable and visually striking, this new generation tap brings a high-capacity refreshment solution to commercial environments.

REASONS TO CHOOSE

- Delivers 80 litres per hour
- Available as a two-tap or three-tap system
- Can be factory fitted with Viovandt® LED-UV
- Ultra-compact under counter ProCore® unit
- Low-energy consumption
- Performance enhancing simple-fit ventilation kit included



C2 Twin-head Tap



C3 Triple-head Tap

WATER SYSTEM

Dry Chill*

CONFIGURATIONS

Tap system

WATER OPTIONS

Chilled / Ambient / Sparkling



Distinctive by design.

ProCore® processing unit with Simple-fit Ventilation Base
Designed to maximise efficiency and enhance performance, the refined and simple to install ventilation base is supplied with every ProCore®.



Pricing

WATER TAPS



Chilled







Sparkling



Ambient



Hot

Product	Type	Configuration/Options	Purchase Price 2023	Rental Price 2023
<i>3/5 year contract, price per month</i>				
 t1	Undercounter, Tap	Chilled, Ambient	£	£
		Chilled, Ambient & Sparkling	£	£
 t2	Undercounter, Tap	Chilled, Ambient	£	£
		Chilled, Ambient & Sparkling	£	£
 t3	Undercounter, Tap	Chilled, Ambient & Hot	£	£
		Chilled, Ambient, Sparkling & Hot	£	£
 c3	Undercounter, Tap	Chilled, Ambient & Sparkling	£	£
		Accessories		£
Servicing	Filter Change & Sterilising	Scale Guard Filter 8500 ltr recommended once per year, or often if required	£78.10 per visit	-
Warranty	Purchase includes 24 months parts & labour warranty, except Fmax – 12 months warranty Rental includes parts & labour warranty for the duration of the contract			

Water taps comparison table

		t1	t2	t3	c2/c3
Configurations		Integrated tap	Integrated tap	Integrated tap	Integrated tap
Water options	Chilled & Ambient	•	•		•
	Chilled, Ambient & Hot			•	
	Chilled & Sparkling	•	•		•
	Chilled, Sparkling & Ambient	•	•		•
	Chilled, Hot & Sparkling				
	Chilled, Sparkling, Ambient & Hot			•	
Dispense height (mm)		310	310	310	236
Water system		Dry Chill	Dry Chill	Dry Chill	Dry Chill
Throughput (L/h)	Chilled	ProCore 50	ProCore 50 ProCore + 80	ProCore 50 ProCore + 80	ProCore + 80
	Ambient	ProCore 50	ProCore 50 ProCore + 80	ProCore 50 ProCore + 80	ProCore + 80
	Sparkling	ProCore 50	ProCore 50 ProCore + 80	ProCore 50 ProCore + 80	ProCore + 80
	Hot			ProCore 16 ProCore + 16	
Water temperature (°C)	Chilled & Sparkling	2-11	2-11	2-11	2-11
	Hot			92	
Maximum running power consumption (kW at 230v)	Chilled & Ambient	ProCore 140	ProCore 140 ProCore + 210		ProCore + 210
	Chilled, Ambient & Hot			ProCore 1670 ProCore + 1710	
	Chilled & Sparkling	ProCore 200	ProCore 200 ProCore + 260		ProCore + 260
	Chilled, Sparkling & Ambient	ProCore 200	ProCore 200 ProCore + 260		ProCore + 260
	Chilled, Hot & Sparkling Chilled, Sparkling, Ambient & Hot			ProCore 1670 ProCore + 1710	
Operating voltage		230-240	230-240	230-240	230-240
Totality		Standard	Standard	Standard	Standard
Touchless control			Standard	Standard	
Alarmed waste kit		Optional	Optional	Optional	Optional
Water connection		3/4" (BSP)	3/4" (BSP)	3/4" (BSP)	8mm (Push-fit)
CO2 connection (Push-fit)		1/4"	1/4"	1/4"	1/4"
Dimensions WxDxH (mm)		320x375x350 T1 42x163x385	320x375x350 T2 160x325x395	320x471x350 T3 160x324x338	320x375x350 C2 165x230x465 C2 215x240x470 C3
Weight (kg)	Chilled & Ambient	27-30	27-30		28-31 C2
	Chilled, Hot & Ambient			TBC	
	Chilled & Sparkling	27-30	27-30		28-31 C2
	Chilled, Sparkling & Ambient	27-30	27-30		28-31 C3
	Chilled, Hot & Sparkling				
	Chilled, Sparkling, Ambient & Hot			TBC	
Noise - cooling mode (dBA)		48	48	51.5	48
Refrigerant type		R290	R290	R290	R290

**Energy-efficient
technology.**

Technology..

Energy-efficient and environmentally-friendly technology.

Borg & Overström are constantly working to develop ever-greener eco-friendly technologies to improve the sustainability of their dispensers.

From improving processing and cooling systems to be more energy-efficient, to implementing intelligent EcoBoil temperature sensing and energy-saving 'sleep' mode that prevents unnecessary energy waste when heating and cooling, our dispensers reduce energy consumption and running costs.



Scan this code to
learn more about
EcoMode.



EcoMode Energy saving 'sleep' mode.

The latest development in sustainable design, EcoMode is an intelligent, energy-saving technology, that places your water dispenser into a sleep when it is not being used.

Automatically activated by prolonged darkness or inactivity, EcoMode will ensure that you are not unnecessarily chilling your water overnight or when no one is around to enjoy it. Better for the environment, better for your energy costs.



borg&
overström

STATE-OF-ART TECHNOLOGY

SensorBeam

Fill your glass as if by magic.

Hygienic touchless dispense with unique projection mapping, SensorBeam* technology, allows the user to pour a glass of water by simply using their foot. No pedals or buttons, just the beautiful simplicity of illuminated controls projected onto the floor.

*Patent pending.

Compatible with the E-series.

DeepSparkle®

Experience the effervescence of excellent sparkling water

DeepSparkle® provides a long-lasting fizz for a deliciously effervescent glass of bubbly. Unique to Borg & Overström, DeepSparkle® is our unique sparkling water technology to give great taste with a satisfying pop, adding a little decadence to your refreshment service. Our unique recipe combines low temperatures with high-pressure saturation for an extended period of time, creating the perfect mix and long-lasting fizz.

Replacement CO2 canisters are available in two sizes and are easy-to-fit and fully recyclable.



ProCore®

Next-generation, advanced modularity.

Borg & Overström's Maktens Borg dispensing solutions represent the next-generation in advanced modularity and universal compatibility. Each dispenser is powered by our unique ProCore® processing system, which enables increased consistency and efficiency in parts, stock, training, and installation. As our range expands, our goal is to ensure that any engineer trained in ProCore® technology can maintain even the latest water dispensers.



Scan this code to learn more about ProCore®.



Scan this code to learn more about DryChill®.



ProCore®
Powerful, compact processor

Our exclusive, next-generation, modular ProCore® system is both space and energy efficient. This compact, powerful processor features a unique design with discreet ventilation for optimised chilling and recovery times. Cooled with eco-refrigerant gas and protected with Greencoat® steel coating to maximise longevity, each ProCore® is built with sustainability in mind.



DryChill®
Efficient, rapid cooling

DryChill® is the latest advancement in water cooling technology. This airless system features a rapid-chill coolant coil, housed in an aluminum core for ultimate hygiene and performance. The efficient, tankless system reduces the risk of contamination and the need for sanitising chemicals, while ensuring every glass, from the first pour to the last, is consistently chilled just seconds before you drink it.



Hygiene assurance in every pour.

A complete approach to cleaner, healthier, great-tasting water.

At Borg & Overström, we believe that the water you drink shouldn't just taste fresh – it must be fresh, filtered and clean. Borg & Overström dispensers are designed with our unique 5-step hygiene methodology, utilising the latest technology to create the cleanest water possible.



Scan this code for more information about Totality.

Filtration

High performance, easy-fit filtration reduces sediment, odours and chlorine, for clean, great-tasting water in every pour.

DryChill®

Reservoir-free, efficient, rapid chilling technology, featuring an airless coolant coil for safe, freshly-chilled water.

Viovandt®

Eco-efficient, chemical-free UV-C water purification, utilising ultraviolet LED sterilisation to destroy bacteria and viruses.

Sterizen®

Antimicrobial and anti-pathogen sterilisation process, reducing bacteria by 99.999% for ultimate confidence.

Fynil®

Hard-wearing and non-porous finish with silver ion antimicrobial technology, for increased hygiene, easy cleaning, and longevity.



Assuring the quality and safety of our products are of the highest standards and complies with regulatory requirements.

Environmentally conscious.
Refreshingly kind to the planet.

Since the beginning, sustainability has been at the heart of Borg & Overström as we aim to provide locally sourced and filtered drinking water, without the need for plastic bottles. We are proud to be certified ISO 4001 for our Environment Management Systems, and to hold an EcoVadis Silver accreditation for our commitment to corporate social responsibility and sustainable procurement.

As part of our ongoing efforts to become ever more environmentally friendly, our production facility operates on solar power and we prioritise recyclable materials in our packaging and components whenever possible, ensuring that we maintain a zero-to-landfill policy.

**Environmental
sustainability**



Contact us:



For more details please contact us at:
www.foxtrading.co.uk/contact-us or scan QR code:



Alternatively please contact us on:

Jersey: 01534 511000 | office.admin@foxtrading.co.uk

Guernsey: 01481 200500 | admin.office@foxtrading.co.uk

WWW.FOXTRADING.CO.UK